

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4913	((382/106,107,108,109,206,255) or (355/26) or (356/2,3,125,152.1, 228,908) or (348/138,139,140,141, 143,159)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:12
L2	2401	1 and (computer\$4 or processor\$4 or microprocessor\$3 or CPU or PC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:12
L3	1985	2 and (memor\$4 or stor\$4 or database or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:13
L4	1868	3 and (measur\$4 or calculat\$4 or comput\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:14
L5	1624	4 and (camera\$4 or video\$4 or CCD or captur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:14
L6	1078	5 and distanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:15
L7	293	6 and calibrat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:15
L8	70	7 and (coplanar or acting or lying)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:17

L11	5	8 and (photogrammetric\$4 or photogrammet\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:24
L12	75	7 and ((rang\$4) near4 (devic\$4 or apparatus or system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:26
L13	1	12 and ((bear\$4) near4 (devic\$4 or apparatus or system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:25
L14	3	12 and ((azimuth\$4) near4 (devic\$4 or apparatus or system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:24
L15	32	7 and (photogrammetric\$4 or photogrammet\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:24
L16	3	15 and ((azimuth\$4) near4 (devic\$4 or apparatus or system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:25
L17	1	15 and ((bear\$4) near4 (devic\$4 or apparatus or system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:25
L18	11	15 and ((rang\$4) near4 (devic\$4 or apparatus or system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:26

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1417	photogrammetric\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:34
L3	817	1 and (camera\$4 or video\$4 or CCD or captur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:36
L4	394	3 and (memory or stor\$4 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:36
L5	344	4 and (computer\$4 or processor\$3 or microprocessor\$4 or CPU or PC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:42
L6	341	5 and (calculat\$4 or comput\$4 or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:36
L7	270	6 and distanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:36
L8	169	7 and calibrat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:37
L9	49	8 and ((rang\$4) near4 (devic\$4 or system\$4 or unit\$4 or apparatus\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:40

L10	3	9 and ((bear\$4) near4 (devic\$4 or system\$4 or unit\$4 or apparatus\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:40
L11	1	10 and ((azimuth\$4) near4 (devic\$4 or system\$4 or unit\$4 or apparatus\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:39
L12	5	9 and coplanar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:37
L13	220	(382/106).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:46
L14	12	13 and (photogrammetri\$4 or photogrammet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:44
L15	12	14 and (camera\$4 or video\$4 or CCD or captur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:36
L16	11	15 and (memory or stor\$4 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:41
L17	11	16 and (computer\$4 or processor\$3 or microprocessor\$4 or CPU or PC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:36

L18	11	17 and (calculat\$4 or comput\$4 or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:41
L19	10	18 and distanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:48
L20	8	19 and calibrat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:42
L21	1	20 and coplanar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:37
L22	10264	((azimuth\$4) near4 (devic\$4 or system\$4 or unit\$4 or apparatus\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:50
L23	660	22 and ((bear\$4) near4 (devic\$4 or system\$4 or unit\$4 or apparatus\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:49
L24	230	23 and ((rang\$4) near4 (devic\$4 or system\$4 or unit\$4 or apparatus\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:48
L25	131	24 and (memory or stor\$4 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:47

L26	119	25 and (calculat\$4 or comput\$4 or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:47
L27	104	26 and (computer\$4 or processor\$3 or microprocessor\$4 or CPU or PC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:47
L28	30	27 and calibrat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:48
L29	2	28 and (photogrammetri\$4 or photogrammet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:45
L30	2	27 and (photogrammetri\$4 or photogrammet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:48
L31	4	24 and (photogrammetri\$4 or photogrammet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:45
L32	187928	(382/106).CCLS. or ("355") or ("348") or ("356")).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:47
L33	58770	32 and (computer\$4 or processor\$3 or microprocessor\$4 or CPU or PC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:47

L34	51437	33 and (calculat\$4 or comput\$4 or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:47
L35	37646	34 and (memory or stor\$4 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:47
L36	18133	35 and distanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:48
L37	224	36 and (photogrammetri\$4 or photogrammet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:48
L38	124	37 and calibrat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:48
L39	39	38 and ((rang\$4) near4 (devic\$4 or system\$4 or unit\$4 or apparatus\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:52
L40	2	39 and ((bear\$4) near4 (devic\$4 or system\$4 or unit\$4 or apparatus\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:49
L41	6	39 and ((azimuth\$4) near4 (devic\$4 or system\$4 or unit\$4 or apparatus\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:50

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE


[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)
IEEE Xplore®
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)

Quick Links

 II
 1
 1
 1
 1
 » Se.

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

 Your search matched **1** of **1130773** documents.

 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enter a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Registration of technical drawings and calibrated images for industrial augmented reality
Appel, M.; Navab, N.;

 Applications of Computer Vision, 2000, Fifth IEEE Workshop on. , 4-6 Dec. 2000
 Pages:48 - 55

[\[Abstract\]](#)
[\[PDF Full-Text \(760 KB\)\]](#)
IEEE CNF

Print Format

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved